



3 1761 05289043 1



Digitized by the Internet Archive
in 2008 with funding from
Microsoft Corporation

224^c

ILLUSTRATIONS
OF
BRITISH FUNGI.

et.
halloph
C

ILLUSTRATIONS
OF
BRITISH FUNGI
(HYMENOMYCETES),

To serve as an Atlas to the "Handbook of British Fungi."

BY

M. C. COOKE, M.A., LL.D., A.L.S.,

President of the Quekett Microscopical Club, and of the Hackney Natural History and Microscopical Society. Fellow of the Botanical Society of Edinburgh. Corresponding Member of the Academy of Natural Sciences, Philadelphia; of the Academy of Science of New York; of the Portland Society of Natural History, Maine; and of the Società Crittogamologica Italiana. Honorary Member of the Cryptogamic Society of Scotland; the Woolhope Field Club; the Hertfordshire Natural History Society; the Norfolk and Norwich Naturalists' Society; the Essex Field Club; the Birmingham Natural History Society; and other Societies.

VOL. IV.

London :

WILLIAMS AND NORGATE, HENRIETTA STREET, W.C.

1884-1886.

137424
6 | 11 | 16



QK

607

C67

v. 4



455



12 X 7

M.C.C.

AGARICUS (HERICOMA) SINAPIZANS *Fries*
in the ground Maltshall Oct., 1883





+50

olive strong



M.C.C.

AGARICUS (HEBELOMA) CRUSTULINIFORMIS. Bull.
on the ground. Alresford, Hants. Sept. 1878.








viscid

20-12 X 6

AGARICUS (HEBELOMA) CRUSTULIFORMIS *Fries* *forma* MINOR
amongst grass on lawn. Plaster grounds. Ken









AGARICUS (HEBELOMA) LONGICAUDUS. Fr.
 on the ground - wood - Northamptonshire







viscid

10 X 5

H.G.B.

AGARICUS (HEBELOMA) LONGICAUDUS Fr. var. RADICATUS.

amongst fir leaves. Dunderberg. Aug. Sept. 1871







12-13 X 5-7

Boudier.

AGARICUS (HEBELOMA) TRUNCATUS Schaff'
on the ground in woods, thickets, &c





odour rather mealy

12 X 6

M.C.C.

AGARICUS (HEBELOMA) NODIFRIES. *Fries*
on the ground. Tunnel Wood, Watford Oct., 1883



viscid.

AGARICUS (HEBELOMA) CAPNIOCEPHALUS B. & H.
amongst pine leaves (Miss Berkeley)







AGARICUS (*HEBELOMA*) ISCHNOSTYLUS. Cooke
amongst grass under Alans Shrewsbury Sept., 1879.



444



AGARICUS (*HEBELOMA*) *MAGNIMAMMA*. Fries.
on naked soil. Sept. 1881.



M.C.C.

AGARICUS (*HEBELOMA*) *PETIGINOSUS*. Fries.
amongst grass. Near Hereford. Oct. 1879.





T.H.

AGARICUS (FLAMMULA) GYMNOPODIUS. *Fries.*
on pine sawdust. *Munstead.* (T. House).









R.E.B.

AGARICUS (FLAMMULA) VINOSUS. Bull.
on the ground. Sibbertoft. 1883.






M.J.B.


AGARICUS (FLAMMULA) FLOCCIFER. Berk.
on lime stumps. Colleyweston.



W.G.S.

AGARICUS (FLAMMULA) DECIDIENS. Swth.
on charred ground. Elyon Forest.





1 dms dry

W.G.S.

ACARICUS (FLAMMULA) CLITOPILUS. *Coker & Smith*,
amongst firs. *Stonchouse, Gloucester*. Nov. 1867.







AGARICUS (*FLAMMULA*) LENTUS *Fries*. Short stemmed form.
amongst fir leaves. *Glamis*. Nov. 1881.



AGARICUS (FLAMMULA) LENTUS. Fries. Long stemmed form.
on the ground. Glamis. Nov. 1881.



471

taste unpleasant



W.G.S.

AGARICUS (FLAMMULA) MIXTUS. *Fries.*
on stumps, and on the ground. Rowood, Wilts. Nov. 1870.



taste nauseous


AGARICUS (FLAMMULA) JUNCINUS.

Smith.

amongst dead rushes.

North Wootton.


Nov. 1870.







AGARICUS (FLAMMULA) GUMMOSUS, *Eries.*
on the ground *Cood Coch.* 1888







AGARICUS (FLAMMULA) SPUMOSUS. *Frax.*
on naked ground. Kew Gardens. Nov. 1880.





AGARICUS (*LAMMULA*) CARBONARIUS. *Fries.*
on charred ground. *Kew Gardens. Dec. 1882.*



very viscid.



M.C.C.

AGARICUS (FLAMMULA) FILIUS. *Fries.*
on the ground. Haywood Forest. Oct. 1882.




cisoid.

M.C.C.

AGARICUS (FLAMMULA) FUSUS. *Butch.*
on the ground, and stumps. Worthing. Nov. 1882. (C.B.P.)





47



R.E.B.

AGARICUS (FLAMMULA) FUSUS. Batsch. Variety.
on the ground. Sibbertoft. Nov. 1883.

pt 200

Then *aristata* pt 425. has
been called in question, but
should be compared with
H. Bon. L. 117. f. 2. *Marica*
apart from the *Flam.* *rubra*
curvata. *Fla.* but that it
by cannot be there. The *Fla.*
is described the former
lupulorum. See also *ge*
volley *base* *for* *stems* *who*
a *unusually* *bulbous*. *Flam.*
very *likely* *to* *be* *Flam.*
legitimate *if* *not* *it* *is* *called*
in *a* *number* *of* *places*
in *my* *book*



M.C.C.

AGARICUS (FLAMMULA) ASTRAGALINUS. *Fries.*
on mossy Pine stumps. *Glanis Oct. 1851.*









H.G.B.

AGARICUS GLABRILLI
on stumps and trunks

AGARICUS. Fr.
Epping Forest.





AGARICUS (FLAMMULA) FLAVIDUS, *Fries*,
vs. stumps in the ground. *Chingford*, 1882





taste mild

W.G.S.

AGARICUS (FLAMMULA) INAURATUS. *Smith*
 on willows. North Wootton. Nov. 1870









AGARICUS. (LAMMULA) CONISSANS. Fries.
on willow trunks. Sutton Park.







AGARICUS (FLAMMULA) INCIPIENS, Frøes.
on fallen firs, and amongst ferns.





odour faint.

M.C.C.

AGAPICUS FLAMMULA APICREUS *Fr.*
on trunks. Codd. Conn. Oct. 1881.





hygrophanous.

G.M.

AGARICUS (FLAMMULA) HYBRIDUS. *Fries.*
on mossy stumps. Scarboro? 1884.






H. C. C.

AGARICUS (MAMMULA) SAPINEUS. *Fries*
on dead sticks. Black Park, Langley. Sept. 1882.







M. J. C.

AGARICUS *flammeus*, PICURUS. *Imag.*
on fir stumps. *Asch.* 1882.





G.M.

AGARICUS (FLAMMULA) OCHROCHLORUS Fries.
on rotten wood. Scarboro'.



viscid


10 x 6

AGARICUS (FLAMMULA) HELOMORPHUS. Fries.
amongst moss. Mossburnford.



MCC

AGARICUS (FLAMMULA) SCAMBUS. Fries.
on naked ground, and rotten wood. Penicuik, N.B.







M.C.

AGARICUS (FLAMMULA, FILICEUS, Cooke.
on old tree trunks, in trees. *Hypogaeae* 1862.



H.G.B.

AGARICUS (MORCHIA) CIDARIS. Fries.
on the ground. Rotherwas. Nov. 1872.






AGARICUS (NAUCORIA) OCLUMIS Pers
amongst sand, &c. Sclerotia 1883






AGARICUS (NAUCORIA) ANGUINEUS *Fries.*
on the ground in woods. Foramyhed 10.



A



AGARICUS (NAUCORIA) CENTUNCULUS. Fries.
on rotten beech wood. Epping.

B



AGARICUS (NAUCORIA) HORIZONTALIS. Bull.
on bark of trees, chiefly in. Bampton Forest.





A



8. long

AGARICUS (NAUCORIA) SEMIFLEXUS. B & Br.
on branches, and the ground.

B



AGARICUS (NAUCORIA) RIMULINCOLA. Rabh.
on twigs. Ascot. Oct. 1869.

C



M.C.C.

AGARICUS (NAUCORIA) RUBRICATUS. B & Br.
on bramble. Hereford. 1879.






10 X 5

M.C.C.

AGARICUS (NAUCORIA) ABSTRUSUS. *Pries.*
on leaf soil in woods. Darenth, Kent.



A



1X4-6

AGARICUS (NAUCORIA) INNOCUUS. *L. ex L.*
in damp places.

B



M.C.C.

AGARICUS (NAUCORIA) CERODES. *Fries.*
amongst grass. *Kew Gardens.* *May, 1883.*







M.C.C.

AGARICUS (NAUCORIA) MELINOIDES Bull.
amongst short grass. Loughton. Nov. 1881.



R.E.B.

AGARICUS (NAUCORIA) PUSIOLUS. Fries.
on the ground and amongst moss.







(A) *AGARICUS (NAUCORIA) NUCEUS*. Bolton.
 (B) *AGARICUS (NAUCORIA) GLANDIFORMIS*. Cooke.
 Teignmouth. Oct. 1867.







AGARICUS (NAUCORIA) BADIPIES. *Fries.*
in damp woods. *Holm. Laccy.*



10X6

M.C.C.

AGARICUS (MAJOCCHI) SCOLECINUS. *Fries.*
amongst dead leaves, &c. of alder.







stem shining, striate

AGARICUS (*NAUCORIA*) STRIÆPES. Cooke.
amongst grass on lawn. Kew Gardens. Nov. 5, 1881.





rather viscid

AGARICUS (NAUCORIA) SIDEROIDES. Bull.
on trunks and chips. Dorking.



M.C.C.

AGARICUS (NAUCORIA) TRISCOPUS. Fries.
on old timber in a cellar. Kilburn. 1882.





A



AGARICUS (NAUCORIA) VERVACTI. *Fries.*
in fallow fields. Apethorpe

B



W.P.

AGARICUS (NAUCORIA) TENAX. *Fries.*
Coed Coch. Oct., 1879.







M. C.

AGARICUS (NAUCORIA) PEDIADES. Fries.

in pastures. Chesham, 1883







slightly viscid

W.G.S.

AGARICUS (*NAUCORIA*) ARVALIS. Smith (not Fries).
amongst sand. Great Yarmouth. July 1871.







AGARICUS (*NAUCORIA*) SEMIORBICULARIS. Bull.
amongst short grass. Kew Gardens.



AGARICUS. (*NAUCORIA*) TABACINUS. Fries.
amongst short grass. Kew Gardens.





viscid

AGARICUS (NAUCORIA) MYOSOTIS. Fries. MAJOR.
 in peat mosses, on moors. Near Scarborough. Aug. 1884.





hygrophaneus

12 x 6

M.C.C.

AGARICUS (NAUCORIA) TEMULENTUS. Fries.
 moist places in woods. Cowarne Court, Hereford. Sept. 1884.





W.G.S.

AGARICUS (NAUCORIA) LATISSIMUS. Cooke,
in a churchyard. Ely. Sept. 1870.



M.C.C.

AGARICUS NAUCORIA, P. K. (Agaricus)
amongst rubbish, &c. (in the garden, &c.)

veil appendiculate

A

B

R.E.B.

var. DISPERSUS. P.

AGARICUS (NAUCORIA) SOBRIVS. Fr.
 on the ground, under l. nos. Sept. 1883.









H.G.B.

AGARICUS (*NAUCORIA*) ERINACEUS. *Fries.*
on branches. Castle Rising. April 1872.



M.C.C.

AGARICUS (*NAUCORIA*) SIPARIUS. *Fries*
on fern stems, twigs, &c. Darent Wood, Kent.



A



AGARICUS (NAUCORIA) CONSPERSUS. Pers.
on sunny slopes. Dinmore. Sept. 1884.

B



14

M.C.C.

AGARICUS (NAUCORIA) ESCHAROIDES. Fries.
in moist woods. Apethorpe. Sept.







AGARICUS (NAUCORIA) CARPOPHILUS. *Fr.*
on beech mast, leaves, &c. Chingford.



M.C.C.

AGARICUS (NAUCORIA) GRAMINICOLA. *Nees.*
on straw, grass, twigs, &c. Weybridge.







viscid

M.J.B.

AGARICUS (*PLEUROTUS*) RETICULATUS. Pers.
on old trunks.









M.C.C.

AGARICUS (GALERA) LATERITIUS. *Fries.*
in grassy places. Near Bristol and Hereford. 1884.





AGARICUS (GALERIA) TENER. Schæff.
 amongst grass in woods, &c. Epping Forest. 1884.




stem striate


10x6

M.C.C.

AGARICUS (GALERA) OVALIS. Fries.
 on ground, near Lyndhurst Station, New Forest. Oct. 1883.







hygrophanous and atomate



M.C.C.

16X8


AGARICUS (GALERA) ANTIPUS. Lasch.
in gardens, and on dung.



after Bolton

AGARICUS (GALERA) CONFERTUS. Bolton.
in stores and greenhouses. Halifax.









M.C.C.

AGARICUS (*GALERA*) SPARTEUS. *Fries.*
amongst moss, &c. Hagwood Forest.



M.C.C.

AGARICUS (*GALERA*) PYGMÆO-AFFINIS. *Fries.*
at base of trunks. Fordingbridg. 1882





stem minutely hispid.

M.J.B.

AGARICUS (GALERA)
amongst moss.

VITTÆFORMIS. Fries.
Sibbertoft.



M.C.C.

AGARICUS (GALERA) RUBIGINOSUS. Pers. MINOR.
amongst moss. Epping Forest. Oct. 1884.









AGARICUS (GALERA) HYPNORUM. Fries.
amongst moss and sphagnum. Eppig.








14 X 6

AGARICUS (CALERA) MNIOPHORUS. *Lesch.*
amongst moss. *Epping.* Oct. 1884.



X 3



6 X 4

AGARICUS (CALERA) MINUTUS. *Quel.*
amongst rocks. *Wrotham.* Oct. 1883.



A



AGARICUS (GALERA) RAVIDUS. *Fries.*
amongst chips.

B



AGARICUS (GALERA) MYCENOPSIS. *Fries.*
amongst mosses




edge of gills serrulate



M.C.C.

AGARICUS (LYBARIA) CUPULARIS. *Pol.* (VARIETY.)
amongst grass. *Loemere.* Sept., 1884.











M.C.C.

AGARICUS (TUBARIA) FURFURACEUS var. TRIGONOPHYLLUS.
amongst grass *Chingford.* Nov. 2, 1883.







10 X 4

M.C.C.

AGARICUS (TUBEROSUS) PALUDOSUS. Fries.
am. n. pl. sple. p. m. n. Keston Common.








M.C.C.

AGARICUS (TUBARINA) STAGNINUS. Foss.
 amongst sphagnum, in bogs. Epping Forest. 1879.







H.B.

AGARICUS (TUBARIA) EMBOLUS. Fries.
amongst grass. Aberquenny. Nov. 1871.

B



M.C.C.

AGARICUS (TUBARIA) AUTOCHTHONUS. B. & Br.
amongst grass, Shobden.







A



10

B



M.C.C.

AGARICUS RUBRA, CROBULUS F. v.
 on logs and stumps. (C. v. v.) N.Y. 1802






viscid when moist

AGARICUS (TUBARIA) INQUILINUS. *Fries.*

(A) on sticks. *Diad. or* (B) on ferns. *Chel. or* 1870.






AGARICUS (CREPIDOTUS) ALVEOLUS. Lasch.
on trunks. Alnwick. 1878.



M.C.C.

AGARICUS (CREPIDOTUS) CALOLEPIS. Fries.
on trunks of aspen. Autumn.



M.J.B.

AGARICUS (CREPIDOTUS) MOLLIS. Schaff.
on logs.





A

foreign specimens

AGARICUS (CREPIDOTUS) HAUSTELLARIS. Fr.
on poplar trunks.

B

X 3

M.J.L.

AGARICUS (CREPIDOTUS) RUBI. B. & Br.
on bramble.

C

5-7

W.P.


AGARICUS (CREPIDOTUS) PHILLIPSII. B. & Br.
on grass.

D

X 3

M.J.B.

AGARICUS (CREPIDOTUS) CHAMPHILUS. B. & Br.
on dead branches of *Salix*.





A

10

M.J.B.

AGARICUS (CREPIDOTUS) EPIGÆUS. *Pers.*
on clay ground. *Hothorpe. Nov. 1881.*



B

AGARICUS (CREPIDOTUS) RALFSII. *B. & Br.*
on rotten wood. *Penzance.*



C

X3

AGARICUS (CREPIDOTUS) EPIBRYUS. *Fries.*
on leaves, moss, &c.



D

X3

Herb Berk

AGARICUS (CREPIDOTUS) PEZIZOIDES. *Nees.*
on rotten wood. *Warwickshire.*





AGARICUS (PSALLIOTA) AUGUSTUS. *Fries.*
in an orchard. Staplehurst, Kent. Aug. 1869.







AGARICUS (PSALLICTA) ELVENSIS. Berk & Br.
under oaks. Neusden. Sept. 1881.





M.J.B.

AGARICUS (PSALLIOTA) ARVENSIS. Schæff.
in damp marshes. Northamptonshire.





AGARICUS (PSALLIOTA) ARVENSIS. Spore. PURPURASCENS.
on the ground. Deep in Forest. Sept., 1880.



pl 124

"*Populus canadensis* Fr. I
have that pl 522 represent
the *Pop. canadensis* of Fr.
whether that is a true *P.*
banksiana, I know not, evidence



AGARICUS (PSALIDOTA) CRETACEUS. *Fries.*
in grassy places. King's Lynn. Feb. 1883.





AGARICUS (PSALLIOTA) PRATENSIS. Schaeff.
amongst grass. Putborough, Sussex. Oct. 1874.





AGARICUS (PSALLIOTA), CAMPESTRIS. Linn.
in parks and pastures. Everywhere







M.C.C.

AGARICUS (PSALLIOTA) CAMPESTRIS. Linn. var. HORTENSIS.
cultivated variety.



pl 122

I think that pl 545.5. 30
is a composite of
figures being without a
ring, should go with
"none"



AGARICUS (PSALLIOTA) CAMPESTRIS. Linn. (VARIETIES.)

A. Penzance. B. Mattishall, Norfolk.





W.G.S.

AGARICUS (PSALLIOTA) CAMPESTRIS. *Lian.* var. SYLVICOLA. *Vitt.*
in woods. Bishop's Wood, Hampstead. Aug. 1885.






AGARICUS (PSALLIOTA) CAMPESTRIS. *Lin. var. VILLATICUS. Brond.*
on the ground. Northamptonshire.







M.C.C.

AGARICUS (PSALLIOTA) SYLVATICUS. Schæff.
A. Pleasure Grounds, Kew. B. Pulborough, Sussex.







AGARICUS (PSALLOTA) HÆMORRHOIDARIUS. *Edm.*
under trees. near Hereford Oct. 1881





M.C.C.

AGARICUS (PSALLIOTA) SUBGIBBOSUS. *Fries* (VAR ET C)
amongst grass. *Pleasure Grounds, Kew, Sept. 1884.*





M.C.C.

AGARICUS (PSALLIOTA) COMTULUS *Fries*
 amongst grass Kew Gardens. Sept. 1882.









18 X 8

G.M.

AGARICUS (PILOSACE) ALGERIENSIS. *Fries.*
on ground amongst ferns. Scarboro? Aug., 1885.

* *Strophomena Mercenalis* B. & H.
 only to a form of *S. dy-*
ta H., but the matter is
 which name is used &
definita is not otherwise
 British.




AGARICUS (STROPHARIA) PERCEVALI. B. & Br.
on sawdust. Northumberland. Oct. 1878.



glutinous

AGARICUS (STROPHARIA) AERUGINOSUS. *Curtis.*
 amongst dead leaves. Queen's Cottage, Kew. Nov. 1880.





AGARICUS (STROPHARIA) ALBO-CYANEUS. *Dosm*

(A) *Hampstead*, Oct. 1863. (B) *Cattle Rising Heath*, Oct. 1883.







glutinous

8X6

M.C.C.

AGARICUS (STROPHARIA) INUNCTUS. Frus.
amongst grass. Near Hereford. Sept. 1883.





AGARICUS (STROPHARIA) CORONILLUS Bull.

(A) Coventry. Sept. 1884. (B) Penzance. Sept. 1882.





M.C.C.

AGARICUS (STROPHARIA) MELASPERMUS *Ball*
 amongst grass. *Lyndhurst. Sept. 1882.*







AGARICUS (STROPHARIA) SQUAMOSUS. *Fries*
 amongst chips, &c. Queen's Cottage, Kew. Oct. 1882.







12X6

M.C.C.

AGARICUS (STROPHARIA) THRAUSTUS. *Kelch*
in open places. Arboretum, Kew. Nov. 1880.







AGARICUS (STROPHARIA) THIPAUSTUS var. AURANTIACUS.
on the ground. Pound Wood, Weyford. Oct. 1883.



M.C.C.

7 x 4½

W.G.S.

AGARICUS STROPHARIA, WORTHINGTONI. *Fries.*
amongst grass. Highbach. Nov. 1881.







AGARICUS (STROPHARIA) MERDARIUS. *Fries.*
on dung. Fordingbridge and Sibbertoft. 1881.





M.C.C.

20X10

AGARICUS (STROPHARIA) STERCORARIUS Fries.
on dung. Loughlon. Sept 1882.







AGARICUS (STROPHARIA) SEMI-GLOBATUS. *Batsch.*
on dung. Chingford Sept. 1882.

pl 540

There are many points
resemblance between 365
Caput-Medusae pl 540
so called Hyphol.



AGARICUS (STROPHARIA) CAPUT-MEDUSÆ. Fries.
at the base of trunks. Glamis. Sept. 1883.



AGARICUS (STROPHARIA) JERDONI. B. & Br
on chips Mossburnford. Nov. 1860






AGARICUS (*STROPHARIA*) SPINTRIGER. *Fries*
on stumps. *Loughton.* Sept. 1882.



571



G.M.

AGARICUS (STROPHARIA) HYPSSIPUS. *Fries.*
on ground amongst moss. Forest Hill Oct., 1885.



taste bitter

8X4

M.C.C.

AGARICUS (HYPHOLOMA) SUBLATERITIUS. *Schaff.*
on stumps. Chingford. Nov. 1883.

bitter

8X4

M.C.C.

AGARICUS (HYPHOLOMA) SUBLATERITIUS. *Schoff. var. squamosus.*
on trunks. Tunnel Wood, Walford. Oct. 1883.

odour and taste mild

AGARICUS (HYPHOLOMA) CAPNOIDES. *Fries.*
on stumps. Arboretum, Kew. Nov. 1880.





AGARICUS (HYPHOLOMA) EPIXANTHUS. Fries.
on stumps, and fallen trees.

See pp 127 (G. Fisher), Vol II, 18

very bitter

7X4



AGARICUS (FR.) S. P. 11 FASCICULARIS. H. & S. 11.
on stumps. Epping Forest. Oct. 1880.



bitter

M.C.C.

AGARICUS (HYPHOLOMA) FASCICULARIS. *Fries, var. ELÆODES. Bull.*
on stumps. Stoke Pogis.





M.C.C.

AGARICUS (HYPHOLOMA) DISPERSUS. *Fries.*
on the ground. Highbeeck. Nov., 1881.



glutinous

A

H.G.B.



AGARICUS (HYPHOLOMA) OEDIPUS. Cooke.
on rotten sticks. Clehanger. Feb., 1872.

B



M.C.C.

AGARICUS (HYPHOLOMA) PUNCTULATUS. Kalch.
on sawdust. Coed Coch. 1882.

Pl 503

Pl 503 is not *Hyp.* etc.
but a form of *H. v.*
~~can be possibly~~ must
called at present *Hyp.*
hypocanthus P & P.



Ag. hypoxanthus. Plow.

AGARICUS (HYPHOLOMA) STOREA. Fries, var. CÆSPITOSUS.
on beech stump. Lyndhurst, New Forest. Oct. 1883.

Fl 566

"Fl 566 is not *Hypoch.* &
signatures but a f
of *H. velutina*"



10 11x6

M.C.C.

AGARICUS (AGARICUS) LACRYMARUNDUS Fries.
 on wet ground. Calicut Dist., Ponnani Forest. Oct. 1883.

H. velutinus [?] *multiflorus*?





AGARICUS (HYPHOLOMA) VELUTINUS. *Fries*
amongst grass. *Neasden, Middlesex. Sept. 1882.*



AGARICUS (HEPHOLOMA) PYRENOTRICHUS. Fries.
on the ground. D. no. Sept. 1884.

gregarious

AGARICUS (HYPHOLDMA) CASCUS. *Fries.*
in grassy places. Margate, etc.

subsolitary

M.C.C.

AGARICUS (HYPHOLOMA) LANARIPES. Cooke.
 on soil in conservatories Highgate. 1862.



gregarious

AGARICUS (HYPHOLOMA) CANDOLLEANUS. *Fries.*
in grassy places. Neasden. Sept. 1882



AGARICUS (*HYPHOLOMA*) APPENDICULATUS. Bull.
on buried stumps. Chingford. Oct. 1883.



caespitose

10-12 X 7

M.C.C.

AGARICUS (HYPHOLOMA), LEUCOTEPHRUS B. & Br.
 at base of stumps. Batheaston, Sept. 21, 1884.

A



AGARICUS (*HYPHOLOMA*) *EGENULUS*. B. & Br.
amongst grass. *Apethorpe*. *Spring*.

B



W.G.S.


AGARICUS (*HYPHOLOMA*) *HYDROPHILUS*. Bull
at base of trunks. *Near Dover*. *Oct., 1848*.





C.B.

AGARICUS (PSILOCYBE) SARCOCEPHALUS. Fries.
in woods. Leigh Wood, Bristol.



1620

The large form of *Psittacus*
cybe *concephalus*, Sa-
cudo calls *Ps. Cooki*
but without reason.
Gives I come to 135



M.C.C.

AGARICUS (PSILOCYBE) SARCOCEPHALUS. Fr.
 at base of trunks. Crackley Wood, Kenilworth. Sept., 1885.



9-10 X 5

M.C.C.

AGARICUS (PSILOCYBE) ERICÆUS. Pers.
 in swampy places. Barnes Common. Sept. 1882.



572



M.C.C.

AGARICUS IPSOLETIAE, SUB-ERICÆUS Fries
 on the ground Kew Gardens. June, 1882.





AGARICUS (PSILOCHE) UDUS. *Persoon.*
amongst *Sphaerium*. *Epping Forest.* *Nov. 1880.*



W.G.S.

10-17 X 8

AGARICUS (HYPHOLOMA) CANOFACIENS Cooke.
 on rotten straw Stoke Newington May, 1867



W.G.S.

AGARICUS (PSILOCYBE) AREOLATUS. Klotzsch.
in garden Mildmay Park, London. Aug. 1869.

57



AGARICUS (PSILOCYBE) AGRARIUS. *Fries.*
on the ground. *Shrewsbury.* *Aug., 1882.*



M.C.C.

AGARICUS (*PSILOCYBE*) *SCABIRCOLA*. B. & Br.
ex squarros.



AGARICUS (PSILOCYBE) CHONDRODERMUS. B. & Br.
on pine wood. Glamis, 1874.



M.C.C.

AGARICUS (PSILOCYBE) CHONDRODERMUS. B. & Br.
on pine wood. Glamis, 1874.



A

AGARICUS (PSILOCYBE) COPROPHILUS. Bull.
on dung. Hampstead Heath.



B

M.J.B.

AGARICUS (PSILOCYBE) BULLACEUS. Bull.
in rich soil and old dung. Sept. 1862



A



AGARICUS (PSILOCYBE) PHYSALOIDES. Bull.
on swampy ground. Croydon.

B



AGARICUS (PSILOCYBE) NUCISENUS. Pers.
on beech wood. Ponzano.



10-12 x 6

AGARICUS (PSILOPHEA) ATRO-RUFUS. Schæff.
amongst grass. Near Birmingham. Dec. 1881.

A



M.J.B.


AGARICUS (*PSILOCYBE*) *COMPTUS*. *Fries.*
in woods. *Collyweston.*

B



16 X 7

AGARICUS (*PSILOCYBE*) *HEBES*. *Fries.*
in beech woods. *Hothorp.*



poisonous



M.C.C.

10-12 x 6

AGARICUS (*PSILOCYBE*) SEMI-LANCEATUS. *Fries.*
amongst grass, in pastures, &c. Manchester. Oct. 1876.

poisonous

M.C.C.

10-12X6

AGARICUS (*PSILOCYBE*) SEMI-LANCEATUS. *Fries, var. CÆRULESCENS.*
in pastures, Neighbourhood of London, Sept. 1880.



M.C.C.

ACERASUS (L.) M. & C. SP. NO. 155. Fr.
 along stem. E. of the R. C. (C. 1852)



M.J.B.

AGARICUS (*PSILOCYBE*) CERNUUS. Fl. Dan.
amongst chips, dead leaves, &c. King's Cliffe. 1883.



M. J. B.

AGARICUS (PSILOCYBE) FÆNISECLII. F.
amongst grass. King's Cliffe.



R.E.B.

AGARICUS (PSATHYRA) CONOPILEUS. Pres.
a. gudeus, No. Silberst. Sept. 1883.







M.J.B.

AGARICUS (PSATHYRA) MASTIGER. B. & Br.
on roadside amongst grass. Apethorpe. Sept., 1860.



M.J.B.

AGARICUS (PSATHYRA) GLAREOSUS. Berk.
on gravelly soil. Sibbertoft.



AGARICUS (*PSILOCYBE*) CORRUGIS. *Fries.*
amongst leucis, &c. Sibbertoft. Sept. 1884.



M.C.C.

AGARICUS (PSATHYRA) CORRUGIS. Fr. var. VINOSUS. Corda.
amongst grass. Kew Gardens. Sept., 1880.



R.E.B.

AGARICUS (*PSILOCYBE*) PELLOSPERMUS. Bull.
 in gardens. Woodnewton. Sept. 1881.



M.J.B.

AGARICUS IMBRICATUS: SPADICEO-GRISEUS. Growing
on trunks, or on the ground. Northamptonshire.



6-7 X 4

AGARICUS (PSATHYRA) OBTUSATUS. *Fries.*
 on oak trunks, or on the ground. *Engelm. Cl. fl.*



M.J.B.



B


W.P.

AGARICUS (PSATHYRA) BIFRONS. B. & Br.

A. Typical form. B var SEMITINCTUS. Phillips.
amongst chips.



AGARICUS (PSATHYRA) SEMI-VESTITUS. R. & Br.
on rubbish heaps. Kew Gardens. Oct. 1883.







A

M.J.B.

AGARICUS (PSATHYRA) FATUUS. *Fries.*
in gardens.



B

M.J.B.

AGARICUS (PSATHYRA) FIBRILLOSUS. *Fries.*
on damp wood.



M.C.C.

AGARICUS (PSATHYRA) HELOBIUS. Ketch.
in moist pine woods. Coed Coch. Sept, 1884.

odour nauseous

A

M.J.B.

AGARICUS (*PSATHYRA*) GORDONI. Berk. & Br.
amongst chips.

B

C.B.

AGARICUS (*PSATHYRA*) PENNATUS. Fries.
on scorched ground. Near Bristol.



A

10 X 6

R.E.B.

AGARICUS (PSATHYRA) GOSSYPINUS. Bull.
on the ground. King's Cliffe

B


12 X 5

AGARICUS (PSATHYRA) NOLI-TANGERE. Fries
amongst chips. S. Vertall.




R.E.B.


AGARICUS (PSATHYRA) MICRORHIZUS. *Lasch.*
in gardens, &c.



7 X 4

AGARICUS (PSATHYRA) URTICÆCOLA. *B. & Br.*
on roots of nettle. *King's Cl. fl.*





BINDING... MAR 18 1974

QK Cooke, Mordecai Cubitt
607 Illustrations of British
C67 Fungi
v.4

BioMed

PLEASE DO NOT REMOVE
CARDS OR SLIPS FROM THIS POCKET

UNIVERSITY OF TORONTO LIBRARY

